

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproducsales@daifukuna.com

Chain & Chain Attachments

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
13613-0	X-458 Microloy™ Chain Assembly (Strand Length: 120")	\$268.00	31.0
15276-0	X-458 Intermediate "H" Attachment – Consisting of the following ship loose items:		
15577-0	X-458 Intermediate "H" Attachment [Two (2) Units Required]	\$3.00	0.45
4226-0	X-458 "M" Filler [Two (2) Units Required].....	\$2.25	0.14
11979-0	Bolt [One (1) Unit Required]	\$0.67	0.04
56494-0	Nut [One (1) Unit Required].....	\$0.18	0.01
306997-0	X-458 Master Pin Assembly	\$24.00	0.50

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproducsales@daifukuna.com

Power Only Half Trolley Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
15308M1-0	4" Half Trolley, 3-3/16" Drop c/w Full Complement Wheels, Seal, Inner Cap & Grease Fitting..... [Two (2) Units Required]	\$40.50	3.5
11979-0	Bracket Bolt [Two (2) Units Required]	\$0.67	0.04
56494-0	Bracket Nut [Two (2) Units Required].....	\$0.18	0.01
*15308-0	4" Half Trolley, 3-3/16" Drop c/w Full Complement Wheels, Seal, LESS Inner Cap & Grease Fitting	\$39.75	3.5
11979-0	Bracket Bolt [Two (2) Units Required]	\$0.67	0.04
56494-0	Bracket Nut [Two (2) Units Required].....	\$0.18	0.01
15309-0	4" Half Trolley, 3-3/16" Drop c/w Full Complement Wheels, LESS Seal, LESS Inner Cap & Grease Fitting.. [Two (2) Units Required]	\$37.50	3.5
11979-0	Bracket Bolt [Two (2) Units Required]	\$0.67	0.04
56494-0	Bracket Nut [Two (2) Units Required].....	\$0.18	0.01

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Power Only Half Trolley Assemblies - Continued

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
14282-0	4" Half Trolley, 4" Drop c/w Full Complement Wheels, Seal, Inner Cap & Grease Fitting..... [Two (2) Units Required]	\$41.00	3.5
11979-0	Bracket Bolt [Two (2) Units Required]	\$0.67	0.04
56494-0	Bracket Nut [Two (2) Units Required].....	\$0.18	0.01
*87858-0	4" Half Trolley, 4" Drop c/w Full Complement Wheels, Seal, LESS Inner Cap & Grease Fitting	\$40.00	3.5
	[Two (2) Units Required]		
11979-0	Bracket Bolt [Two (2) Units Required]	\$0.67	0.04
56494-0	Bracket Nut [Two (2) Units Required].....	\$0.18	0.01
*86183-0	4" Half Trolley, 4" Drop c/w Full Complement Wheels, LESS Seal, LESS Inner Cap & Grease Fitting	\$38.00	3.5
	[Two (2) Units Required]		
11979-0	Bracket Bolt [Two (2) Units Required]	\$0.67	0.04
56494-0	Bracket Nut [Two (2) Units Required].....	\$0.18	0.01
BA4.11	Assembly of Trolleys to Chain (Add per Trolley Pair)	\$8.00	NA

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproducsales@daifukuna.com

Trolley Wheels & Inner Caps

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
15911-0	4" Full Ball Complement Wheel, Convex Face, 1" Bore, Labyrinth Seal	\$29.25	1.28
15917-0	4" Full Ball Complement Wheel, Convex Face, 1" Bore , LESS Labryinth Seal.....	\$25.00	1.28
15574-0	4" Trolley Wheel Inner Cap	\$1.00	0.18
15929-0	4" Trolley Wheel Inner Cap C/W Grease Fitting.....	\$5.40	0.10

NOTE:	CAUTION – 4" Trolleys come in two drops. Field verification of the drop should be made prior to ordering replacement trolleys. Trolley pricing is given by "half trolley". A pair of trolleys is required for connection to the chain. Please remember to order the appropriate number of trolleys and hardware for your chain's configuration. Threads on the P/N #11979-0 bolt are epoxy encapsulated and are designed for single use. Specify trolleys centers and spacer unit to be used (i.e. "H", "I" or "B" attachment) when requesting configured chain *Non-Stock Item It is recommended to install a Master Pin assembly every 100 FT of chain installation. All X-458 Chain, Trolleys, Trolley Attachments/Hardware and Wheels are shipped: FCA: Carlisle, SC 29035
--------------	--

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Trolley Attachments & Hardware

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*15579-0	X-458 "J" Attachment (Drilled for 5/8" Diameter Rod)	\$24.50	1.30
4224-0	X-458 "I" Attachment	\$3.45	0.50
4222-0	X-458 "C" Attachment	\$12.00	1.0
4223-0	X-458 "H" Attachment.....	(Pair) \$7.00	(Pair) 1.22
9118-0	X-458 Clevis Pin (Ships Loose).....	\$7.00	0.20
57087-0	1/2" Flat Washer (Ships Loose).....	\$0.25	0.04
300111-0	Rue Ring Cotter for 1/2" Diameter Pin (Ships Loose)	\$1.00	0.01
4221-0	X-458 "B" Attachment.....	\$25.00	1.0
56551-0	Nut for "B" Attachment [One (1) Unit Required, Ships Loose]	\$1.60	0.10
56074-0	Cotter Pin for "B" Attachment [One (1) Unit Required, Ships Loose].....	\$0.30	0.02

NOTE:	*Non-Stock Item
-------	-----------------

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Trolley Attachments & Hardware - Continued

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
	X-458 Load Bar & Hardware – Consisting of the following ship loose items:		
4060-0	X-458 Load Bar [One (1) Unit Required]	\$75.00	4.4
4221-0	X-458 “B” Attachment [Two (2) Units Required]	\$25.00	1.0
4004-0	Spherical Washer [Two (2) Units Required]	\$9.00	0.5
6493-0	Tube Spacers [Two (2) Units Required]	\$5.00	0.08
56551-0	Nut for “B” Attachment [Two (2) Units Required]	\$1.60	0.22
56074-0	Cotter Pin for “B” Attachment [Two (2) Units Required]	\$0.30	0.02
BA4.12	Assembly of Load Bar to Chain (Add per Load Bar)	\$29.00	NA

Swivel Hooks

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
252099-0	Non-Indexing Swivel Hook Assembly, 125.0 Lb. Capacity	\$33.00	1.4
*252104-0	Indexing Swivel Hook Assembly, 125.0 Lb. Capacity	\$42.00	1.3
252102-0	Indexing Swivel Hook Assembly, 200.0 Lb. Capacity	\$57.25	2.2
*252101-0	Star-Wheel Indexing Swivel Hook Assembly, 125.0 Lb. Capacity	\$49.00	2.0

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

P&F Pusher Dogs

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
10702-0	X458 Push Across P&F Side Link Pusher.....	\$36.00	1.30
BA4.13	Assembly of Pusher Dog to Chain (Add per FOOT of Chain Strand)	\$5.60	N/A

Hand Pushed Trolleys

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
9792-0	Hand Pushed Trolley Assembly, 500 LB Capacity..... (For use with 3" & 4" I-Beams)	\$190.00	8.0
10711-0	Hand Pushed Trolley Assembly, 1,500 LB Capacity..... (For use with 4" & 6" I-Beams)	\$436.00	21.0

Track

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
18266-SHIPLOOSE	S4 I-Beam, 1045 High Carbon Rail (Section Length: 240")	\$860.00	154.0
	Note: Rail comes unpainted with mill ends.		

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproducsales@daifukuna.com

1,000 LB UniFrame Drive Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*947395-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 1,000 LB Chain Pull Capacity c/w 0.5 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 5.3 FPM @ 60 HZ	POR	1,420.0
*947394-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 1,000 LB Chain Pull Capacity c/w 0.75 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 15.1 FPM @ 60 HZ	POR	1,420.0
*947393-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 1,000 LB Chain Pull Capacity c/w 1.5 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 31.9 FPM @ 60 HZ	POR	1,420.0
*947392-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 1,000 LB Chain Pull Capacity c/w 2.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 43.6 FPM @ 60 HZ	POR	1,420.0
*947391-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 1,000 LB Chain Pull Capacity c/w 3.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 64.6 FPM @ 60 HZ	POR	1,420.0

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

2,000 LB UniFrame Drive Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*947237-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 2,000 LB Chain Pull Capacity c/w 0.75 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 5.4 FPM @ 60 HZ	\$32,000.00	1,482.0
*947166-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 2,000 LB Chain Pull Capacity c/w 1.5 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 15.7 FPM @ 60 HZ	\$32,000.00	1,482.0
*947238-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 2,000 LB Chain Pull Capacity c/w 3.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 30.5 FPM @ 60 HZ	\$32,000.00	1,482.0
*947165-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 2,000 LB Chain Pull Capacity c/w 3.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 44.6 FPM @ 60 HZ	\$32,000.00	1,482.0
*947164-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 2,000 LB Chain Pull Capacity c/w 5.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 63.0 FPM @ 60 HZ	\$32,000.00	1,482.0

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

3,000 LB UniFrame Drive Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*947235-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 3,000 LB Chain Pull Capacity c/w 0.75 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 5.4 FPM @ 60 HZ	\$35,000.00	1,482.0
*947163-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 3,000 LB Chain Pull Capacity c/w 1.5 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 15.7 FPM @ 60 HZ	\$35,000.00	1,482.0
*947236-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 3,000 LB Chain Pull Capacity c/w 3.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 30.5 FPM @ 60 HZ	\$35,000.00	1,482.0
*947162-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 3,000 LB Chain Pull Capacity c/w 5.0 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 45.0 FPM @ 60 HZ	\$35,000.00	1,482.0
*947133-0	UniFrame X-458 Rotary Constant Speed Caterpillar Drive Assembly 3,000 LB Chain Pull Capacity c/w 7.5 HP, 230/460 Volt AC, TEFC Inverter Duty Gearmotor, 5:1 Turn-down Ratio, 460 Volt AC Brake and Limit Switch Overload Protection, Set @ 3-3/16" Drop, Speed 63.2 FPM @ 60 HZ	\$35,000.00	1,482.0

Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproducsales@daifukuna.com

Drive Notes:	UniFrame Drive Information 1,000 LB Drives: • Gearmotors for 5.3 FPM are 641:1 Ratio, 1700 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 15.1 FPM are 231:1 Ratio, 1740 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 31.9 FPM are 109.04:1 Ratio, 1740 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 43.6 FPM are 79.76:1 Ratio, 1740 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 64.6 FPM are 53.73:1 Ratio, 1735 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC UniFrame Drive Information 2,000 LB Drives: • Gearmotors for 5.4 FPM are 988:1 Ratio, 1690 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 15.7 FPM are 350:1 Ratio, 1740 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 30.5 FPM are 179.97:1 Ratio, 1735 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 44.6 FPM are 123.29:1 Ratio, 1735 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 63.0 FPM are 88.01:1 Ratio, 1750 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC UniFrame Drive Information 3,000 LB Drives: • Gearmotors for 5.4 FPM are 988:1 Ratio, 1690 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 15.7 FPM are 350:1 Ratio, 1740 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 30.5 FPM are 179.97:1 Ratio, 1735 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 45.0 FPM are 123.29:1 Ratio, 1750 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC • Gearmotors for 63.2 FPM are 88.01:1 Ratio, 1755 RPM, 230/460 Volt AC, 3 PH, 60 HZ, TEFC
---------------------	--

Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Drive Notes, Continued:	UniFrame Drive Information General: • Gearmotors are “Inverter Duty” with a standard turndown ratio of 5:1. Motors are sized based upon speed and chain pull requirements. Drives operating in the 5:1 speed range will maintain constant chain pull capacities. • Daifuku recommends the use of a high quality “vector” duty variable frequency controller for speed variation. Lower quality VFDs may not provide adequate voltage at lower Hz settings causing the drive to stall. • All gearmotors are equipped with 460 Volt AC brakes. Brakes must be wired separately from motors when VFDs are used. • All drives are equipped with limit switches for overload protection. • All drives are priced LESS controls and VFD units. • Note “TEFC” denotes “Totally Enclosed Fan Cooled”. • Drive assemblies receive one (1) shop coat of blue paint. (RAL5019) • Roller Turn Rollers are pre-greased and are considered sealed-for-life. • POR stands for Price on Request • *Non-Stock Item
------------------------------------	--

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Take-up Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*16507-0	S4 24" Radius x 180 Degree Roller Turn, Spring Type Take-up Assembly, 3-3/16" Drop (8" Travel, 48" Spread)	\$8,137.00	638.0
*100874-0	S4 24" Radius x 180 Degree Roller Turn, Air Operated Take-up Assembly, 3-3/16" Drop (8" Travel, 48" Spread)	\$8,363.00	628.0
*16541-0	S4 36" Radius x 180 Degree Roller Turn, Spring Type Take-up Assembly, 3-3/16" Drop (8" Travel, 72" Spread)	\$9,743.00	837.0
*100876-0	S4 36" Radius x 180 Degree Roller Turn, Air Operated Take-up Assembly, 3-3/16" Drop (8" Travel, 72" Spread)	\$9,965.00	828.0

NOTE:	*Non-Stock Item Take-up assemblies receive one (1) shop coat of blue paint. (RAL5019) Roller Turn Rollers are pre-greased and are considered sealed-for-life.
--------------	---

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Power Only Roller Turn Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*9716-0	S4 24" Radius x 45 Degree Roller Turn, 3-3/16" Drop	\$1,100.00	101.0
*9712-0	S4 24" Radius x 90 Degree Roller Turn, 3-3/16" Drop	\$2,200.00	147.0
*9710-0	S4 24" Radius x 180 Degree Roller Turn, 3-3/16" Drop	\$4,400.00	270.0
*9736-0	S4 36" Radius x 45 Degree Roller Turn, 3-3/16" Drop	\$1,317.00	107.0
*9732-0	S4 36" Radius x 90 Degree Roller Turn, 3-3/16" Drop	\$2,636.00	287.0
*9730-0	S4 36" Radius x 180 Degree Roller Turn, 3-3/16" Drop	\$5,271.00	356.0
*9752-0	S4 48" Radius x 90 Degree Roller Turn, 3-3/16" Drop	\$2,975.00	244.0

Roller Turn Rollers and Roller Turn Bolts

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
16472-0	2 13/16" DIA X 5/8" Bore Ball Bearing Roller.....	\$55.00	3.30
9577-0	5/8" Dia X 4 1/8" LG Hex Head Roller Turn Bolt, Grade 5.....	\$12.00	0.40
16468-0	5/8" Dia X 4 1/8" LG Hex Head Roller Turn Bolt W/ Grease Fitting, Grade 5, Drilled.....	\$20.00	0.48
16490-0	2 13/16" DIA X 5/8" Bore Tapered Roller Bearing Heavy Duty Roller.....	\$85.00	3.50
10216-0	Dust Cap [Two (2) Units Required]	\$2.55	0.03

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

NOTE:	*Non-Stock Item Roller Turn Bolt assemblies may require (1) P/N #56567-0 Nut and (1) P/N #57015-0 Washer Roller Turn assemblies receive one (1) shop coat of blue paint. (RAL5019) Roller Turn Rollers are pre-greased and are considered sealed-for-life.
--------------	---

Roller Bearing Traction Wheel Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*440-36-090-R-3-0	S4 36" Pitch Diameter x 90 Degree Roller Bearing Traction Wheel Assembly, 3-3/16" Drop.....	\$5,042.00	345.0
*440-36-180-R-3-0	S4 36" Pitch Diameter x 180 Degree Roller Bearing Traction Wheel Assembly, 3-3/16" Drop.....	\$5,042.00	345.0
*440-48-090-R-3-0	S4 48" Pitch Diameter x 90 Degree Roller Bearing Traction Wheel Assembly, 3-3/16" Drop.....	\$5,729.00	457.0
*440-48-180-R-3-0	S4 48" Pitch Diameter x 180 Degree Roller Bearing Traction Wheel Assembly, 3-3/16" Drop.....	\$5,729.00	457.0
*440-72-090-R-3-0	S4 72" Pitch Diameter x 90 Degree Roller Bearing Traction Wheel Assembly, 3-3/16" Drop.....	\$6,532.00	551.0
*440-72-180-R-3-0	S4 72" Pitch Diameter x 180 Degree Roller Bearing Traction Wheel Assembly, 3-3/16" Drop.....	\$6,532.00	551.0

NOTE:	*Non-Sock Item Roller Bearing Traction Wheels receive one (1) shop coat of blue paint. (RAL5019)
--------------	---

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Carbon Bushed Traction Wheel Assemblies

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*440-36-090-C-3-0	S4 36" Pitch Diameter x 90 Degree Carbon Bushed Traction Wheel Assembly, 3-3/16" Drop	\$5,871.00	359.0
*440-36-180-C-3-0	S4 36" Pitch Diameter x 180 Degree Carbon Bushed Traction Wheel Assembly, 3-3/16" Drop	\$5,871.00	359.0
*440-48-090-C-3-0	S4 48" Pitch Diameter x 90 Degree Carbon Bushed Traction Wheel Assembly, 3-3/16" Drop	\$6,301.00	486.0
*440-48-180-C-3-0	S4 48" Pitch Diameter x 180 Degree Carbon Bushed Traction Wheel Assembly, 3-3/16" Drop	\$6,301.00	486.0
*440-72-090-C-3-0	S4 72" Pitch Diameter x 90 Degree Carbon Bushed Traction Wheel Assembly, 3-3/16" Drop	\$7,791.00	580.0
*440-72-180-C-3-0	S4 72" Pitch Diameter x 180 Degree Carbon Bushed Traction Wheel Assembly, 3-3/16" Drop	\$7,791.00	580.0

Single Vertical Curves

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*102253-0	S4 96" Radius x 30 Degree Single Vertical Curve	\$607.00	62.9
*102254-0	S4 96" Radius x 45 Degree Single Vertical Curve	\$727.00	78.3
*102255-0	S4 120" Radius x 30 Degree Single Vertical Curve	\$749.00	71.0
*102256-0	S4 120" Radius x 45 Degree Single Vertical Curve	\$866.00	91.0

NOTE:	*Non-Stock Item Carbon Bushed Traction Wheels are coated with Rust-Veto.
--------------	---

4" UNIBEAM™ Components



Confidential Price List

30100 Cabot Drive, Novi, MI 48377 USA
Phone: 248-553-1232; E-Mail: autoproductionsales@daifukuna.com

Power Only Anti-Backup & Anti-Runaways

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
8702-0	S4 Anti-Backup Assembly	\$420.00	7.0
101878-0	S4 Anti-Runaway Assembly (LESS Limit Switch).....	\$910.00	12.0
*101879-0	S4 Anti-Runaway Assembly (WITH Limit Switch).....	\$1,499.00	16.0

Oven Expansion Joint

PART NUMBER	DESCRIPTION	UNIT LIST PRICE	UNIT WEIGHT LBS.
*139999-0	S4 Oven Expansion Joint 1/2" Travel (Unit Length: 36").....	\$863.00	29.0

NOTE:	*Non-Stock Item Anti-Backups and Anti-Runaways receive one (1) shop coat of blue paint. (RAL5019) Single Vertical Curves and Oven Expansion Joints ship unpainted. All X458 Track, Drives, Take ups, Roller Turns, Vertical Curves, Traction Wheels and Accessories are shipped: Hamilton ONT L8H 3L2
--------------	---